

## Graham Centre honours board

**Adeolda AM, Tan SH and Agboola SO** (2011). Potential application of canola proteins in food manufacture A functionality overview. *Agrofood industry hi-tech*, **22 (6)**, 17-20.

Arnaiz OL, Wilson AL, Watts RJ and **Stevens MM** (2011). Influence of riparian condition on aquatic macroinvertebrate communities in an agricultural catchment in south-eastern Australia. *Ecological Research* **26**, 123-131.

**Asaduzzaman M, An M, Luckett D, Pratley J and Lemerle D** (2011). Allelopathy in Canola: potential for weed management. *Proceedings of the 17<sup>th</sup> ARAB Conference*, Wagga Wagga, Australia. pp. 9-11.

**Auld BA and Johnson SB** (2011). The Biology of Australian Weeds. 57. *Sclerolaena birchii* (F. Muell.) Domin. *Plant Protection Quarterly* **26**, 2-7.

Ball B, Meharry D, Botwright Acuna TL, Sharma DL, Hamza M, **Wade LJ** (2011). Increases in seed density can improve plant stand and increase seedling vigour from small seeds of wheat (*Triticum aestivum*). *Experimental Agriculture* **47**, 445-457.

Barnes TS, Hinds L, **Jenkins DJ**, Bielfeldt-Ohmann H, Lightowlers MW and Coleman GT (2011). Comparative pathology of pulmonary hydatid cysts in macropodids and sheep. *Journal of Comparative Pathology* **144**, 113-122.

**Bowmer KH** (2011). Water resource protection in Australia: Links between land use and river health with a focus on stubble farming systems. *Journal of Hydrology* **403**, 176–185.

Brechner M, Albright LD and **Weston LA** (2011). Effects of UV-B on secondary metabolites of St. John's wort (*Hypericum perforatum* L.) growth in controlled environments. *Photochemistry and Photobiology* **87**, 680-684.

**Broster JC, Koetz EA and Wu H** (2011). Herbicide resistance in wild oats (*Avena* spp.) in southern New South Wales. *Plant Protection Quarterly* **26**, 106-110.

**Broster JC, Koetz EA and Wu H** (2011). Herbicide resistance levels in annual ryegrass (*Lolium rigidum* Gaud.) in southern New South Wales. *Plant Protection Quarterly* **26**, 22-28.

**Burrows GE** (2011). Elusive but not hypothetical: axillary meristems in *Wollemia nobilis*. *Annals of Botany* doi:10.1093/aob/mcr233, <http://aob.oxfordjournals.org/content/early/2011/08/24/aob.mcr233.full.pdf+html>

Chan KY, **Conyers M, Li G**, Helyar K, Poile G, Oates A, Barchia I (2011). Soil carbon dynamics under different cropping and pasture management in

temperate Australia - Results of three long term experiments. *Soil Research* **49**, 320-328.

Chand N, Muhammad D, Durrani F, Qureshi MS and **Ullah SS** (2011). Protective Effects of Milk Thistle (*Silybum marianum*) against Aflatoxin B1 in Broiler Chicks. *Asian-Australasian Journal of Animal Sciences* **24**, 1011 - 1018.

Choung CB, Hyne RV, Mann, RM, **Stevens MM** and Hose GC (2011). Developmental toxicity of two common corn pesticides to the endangered southern bell frog (*Litoria raniformis*). *Environmental Pollution* **159**, 2648-2655.

Choung CB, Hyne RV, **Stevens MM** and Hose GC (2011). Toxicity of the insecticide terbufos, its oxidation metabolites, and the herbicide atrazine in binary mixtures to *Ceriodaphnia cf dubia* *Archives of Environmental Contamination and Toxicology* **60**, 417-425.

Craven LA, de Lange PJ, Lally TR, Murray BG and **Johnson SB** (2011). A taxonomic re-evaluation of *Hibiscus trionum* (Malvaceae) in Australasia. *New Zealand Journal of Botany* **49**, 27-40.

Dibden J, **Higgins V** and Cocklin C (2011). Harmonising the governance of farming risks: agricultural biosecurity and biotechnology in Australia. *Australian Geographer* **42 (2)**, 105-122.

**Ee KY**, Zhao J, Rehman A and **Agboola S** (2011). Glycosylation, amino acid analysis and kinetic properties of a major Kunitz-type trypsin inhibitor from *Acacia victoriae Benth* seeds. *Food Chemistry* **129**, 1224–1227.

**Ee KY**, **Agboola S**, Rehman A and Zhao J (2011). Characterisation of phenolic components present in raw and roasted wattle (*Acacia victoriae Benth*) seeds. *Food Chemistry* **129**, 816–821.

Eom SH, **Weston LA** and DiTomasso.A (2011). Effects of Soil Salinity on the Growth of *Ambrosia artemisiifolia* Biotypes Collected from Roadside and Agricultural Fields. *Journal of Plant Nutrition* **35**, DOI:10.1080/01904167.2011.

Ferdinands K, Virtue J, **Johnson SB** and Setterfield SA (2011). 'Bio-insecurities': managing demand for potentially invasive plants in the bioeconomy. *Current Opinion in Environmental Sustainability* **3**, 43-49.

Fraser MA and **Scott BJ** (2011). Variability of acidity in agricultural soils - the impact of timber burning at land clearing. *Australian Journal of Soil Research* **49**, 223-230.

**Freire R** (2011). Ethical advantages of using domestic bird species for magnetic orientation research. *Communicative and Integrated Biology* **4**, 1-2.

**Freire R**, Eastwood MA and Joyce, M (2011). Minor beak trimming in chickens leads to loss of mechano- and magneto-reception. *Journal of Animal Science* **89**, 1201-1206.

Gauci C, **Jenkins D**, Lightowlers M (2011). Strategies for optimal expression of vaccine antigens from Taeniid Cestode parasites in *Escherichia coli*. *Molecular Biotechnology* **48**, 277-289.

**Gitau CW**, Fletcher MJ, Mitchell A, Dewhurst CF and **Gurr GM** (2011). Review of the planthopper genus *Zophiuma* Fennah (Hemiptera: Fulgoromorpha: Lophopidae) with first description of the male of *Zophiuma pupillata* Stål. *Australian Journal of Entomology* **50**, 86-92.

**Gitau CW**, **Gurr GM**, Dewhurst CF, Nicol H, Fletcher MJ (2011). Potential for biological control of *Zophiuma butawengi* (Heller) (Hemiptera: Lophopidae) in coconut and oil palms using the hymenopterans *Ooencyrtus* sp. (Encyrtidae) and *Parastethynium maxwelli* (Girault) (Mymaridae). *Biological Control*. [doi:10.1016/j.biocontrol.2011.07.008](https://doi.org/10.1016/j.biocontrol.2011.07.008)

**Gitau CW**, **Gurr GM**, Dewhurst CF, Mitchell A, Fletcher MJ, Liefing LW and Cowling A (2011). *Zophiuma lobulata* (Hemiptera: Lophopidae) causes Finschhafen disorder of coconut and oil palms. *Annals of Applied Biology* **158**, 139-148.

Guerrieri E, **Gitau CW**, Fletcher MJ, Noyes JS, Dewhurst CF and **Gurr GM** (2011). Description and biological parameters of *Ooencyrtus isabellae* Guerrieri and Noyes sp. nov. (Hymenoptera: Chalcidoidea: Encyrtidae), a potential biocontrol agent of *Zophiuma butawengi* (Heller) (Hemiptera: Fulgoromorpha: Lophopidae) in Papua New Guinea. *Journal of Natural History*. <http://dx.doi.org/10.1080/00222933.2011.616272>

Guo Y, Ni Y, **Raman H**, **Wilson B**, **Ash G**, Wang A, **Li G** (2011). Arbuscular mycorrhizal fungal diversity in perennial pastures; responses to long-term lime application. *Plant and Soil*, 1-15.

**Gurr GM** and Fletcher MJ (2011). Silk production by the Australian endemic leafhopper *Kahaono Montana Evans* (Cicadellidae: Typhlocybinae: Dikraneurini) provides protection from predators. *Australian Journal of Entomology* **50**, 231-233.

Hayes RC, Scott BJ, Dear BS, Li GD, and Auricht GC (2011). Seedling validation of acid soil tolerance of lucerne populations selected in solution culture high in aluminium. *Crop and Pasture Science* **62**, 803–811.

**Higgins V** and Dibden J (2011). Biosecurity, trade liberalisation, and the (anti)politics of risk analysis: the Australia-New Zealand apples dispute. *Environment and Planning A* **43**, 393-409.

Huber JT, **Gitau CW**, **Gurr GM**, Dewhurst CF, Fletcher MJ (2011). Re-description and biology of *Parastethynium maxwelli* (Hymenoptera: Mymaridae), an egg parasitoid of *Zophiuma lobulata* (Hemiptera: Lophopidae), and description of a new species of *Parastethynium* from Indonesia. *Zootaxa* **2733**, 49-62.

**Hume I**, **Nordblom T** and Finlayson, J (2011). Co-learning - the Simmons Creek salinity project. *Proceedings of the 5th World Congress Conservation Agriculture*, Brisbane, Australia.

**Hume I**, **Nordblom T**, Finlayson J, Creswell H and Enli W (2011). Bio-economic optimisation of land use to manage natural resources. *Proceedings of the 5th World Congress Conservation Agriculture*, Brisbane, Australia. pp. 514-515.

**Hutchings TR** and **TL Nordblom** (2011). A financial analysis of the effect of the mix of crop and sheep enterprises on the risk profile of dryland farms in south-eastern Australia. *55<sup>th</sup> Australian Agricultural and Resource Economics Society*. <http://ageconsearch.umn.edu>

Hutchings TR and Nordblom TL (2011). " financial analysis of the impact of sheep on the risks and returns associated with mixed enterprise farming in south-eastern Australia - Part III. *Australian Farm Business Management Journal* **8 (1)**, 19-41.

Jabbar A, **Jenkins DJ**, Crawford S, Walduck AK, Gauci CG, Beveridge I and Lightowlers MW (2011). Onchospherical penetration glands are the source of the EG95 vaccine antigen against cystic hydatid disease. *Parasitology* **138**, 89-99.

**Johnson SB** (2011). *Carpe Diem* - Seizing the day. Successful engagement in a changing society. *Plant Protection Quarterly* **26**, 103-105.

Kendall M, Batterham M, Callahan DL, Jardine D, **Prenzler PD**, Robards K, Ryan D. (2012). Randomised controlled study of the urinary excretion of biophenols following acute and chronic intake of olive leaf supplements. *Food Chemistry* **130**, 651–659.

King JS, **Jenkins DJ**, Ellis JT, Fleming P, Windsor PA, Slapeta J (2011). Implications of wild dog ecology on the sylvatic and domestic life cycle of *Neospora caninum* in Australia. *The Veterinary Journal* **188**, 24-33.

**Kirkby CA**, **Kirkegaard JA**, Richardson AE, **Wade LJ**, **Blanchard C**, Batten G (2011). Stable soil organic matter: A comparison of C:N:P:S ratios in Australian and other world soils. *Geoderma* **163**, 197-208.

**Kirkby KA**, **Pratley JE**, Hume DE, **An M** and **Wu H** (2011). Viability of seed and endophyte (*Neotyphodium occultans*) in annual ryegrass (*Lolium rigidum*)

when buried and in long term storage. *Seed Science and Technology* **39**, 452-464.

**Kirkby KA, Pratley JE**, Hume DE, Faville MJ, **An M** and **Wu H** (2011). Incidence of endophyte *Neotyphodium occultans* in *Lolium rigidum* from Australia. *Weed Research* **51**, 261–272.

**Lacy J** (2011). Cropcheck: Farmer benchmarking participatory model to improve productivity. *Agricultural Systems* **104**, 562-571.

**Lemerle D, Lockley P, Koetz E, Luckett D** and **Wu H** (2011). Manipulating canola agronomy for weed suppression. *Proceedings of the 17<sup>th</sup> ARAB Conference*, Wagga Wagga Australia.

**Lemerle D, Luckett D, Koetz E** and **Wu H** (2011). Canola (*Brassica napus*) competition for weed management, *Proceedings of the Asian Pacific Weed Science Society*, Cairns, Australia.

Li CJ, **An M**, Saeed M, Li L and **Pratley J** (2011). Effects of wheat crop density on growth of ryegrass. *Allelopathy Journal* **27**, 43-54.

Li L, Chan KY, Niu Y, **Li G**, Oates A, Dexter A, Huang G (2011). Soil physical qualities in an Oxic Paleustalf under different tillage and stubble management practices and application of S theory. *Soil and Tillage Research* **113**, 82-88.

**Liu DL**, Chan KY, **Conyers MK, Li G** and Poile GJ (2011). Simulation of soil organic carbon under different pasture managements using the RothC carbon model. *Geoderma* **165**, 69-77.

**Liu DL**, Timbal B, Mo J and Fairweather H (2011). A GIS-based climate change adaptation strategy tool. *International Journal of Climate Change Strategies and Management*. **3**, 140-155.

Kano-Nakata M, Inukai Y, **Wade LJ**, Siopongco J and Yamauchi A (2011). Root Development, Water Uptake, and Shoot Dry Matter Production under Water Deficit Conditions in Two CSSLs of Rice: Functional Roles of Root Plasticity. *Plant Production Science*. **14(4)**, 307—317.

Neeson R, Burnett V, Evans J, **Luckett D, Raman H, Taylor H**, Wellings C and Snyman L (2011). Optimising the Quality and Yield of Spelt under Organic Production. *RIRDC Publication No. 11/066*.

Nio SA, Cawthray GR, **Wade LJ**, Colmer TD (2011). Pattern of solutes accumulated during leaf osmotic adjustment as related to duration of water deficit for wheat at the reproductive stage. *Plant Physiology and Biochemistry* **49**, 1126-1137.

Norton GM, **Lemerle D, Pratley JE** and Norton MR (2011). Association between environmental factors and the occurrence of six fumitory species

(*Fumaria* spp. L.) in southern-eastern Australia. *Plant Protection Quarterly* **26**, 1-10.

Packer EL, **Clayton EH** and Cusack PMV (2011). Rumen fermentation and liveweight gain in beef cattle treated with monensin and grazing lush forage. *Australian Veterinary Journal* **89(9)**, 338-345.

**Piltz J, Stanton R**, Rodham C and **Wu H** (2011). Effect of ensiling on viability of weed seeds. 'Grassland Farmers – Opportunities, Threats and Realities', 26th Annual Conference of The Grassland Society of NSW Inc. Conference Proceedings, 26–28th July 2011, Bathurst, Australia. pp.156.

Rathe AA, Pilkington LJ and **Gurr GM** (2011). Multiplication and movement of *Xylella fastidiosa* in Australian native plant species. *Phytopathology* **101(6)**, S151-S151.

Real D, **Li G**, Clark S, Albertsen TO, **Hayes RC**, Denton MD, D'Antuono MF, and Dear BS (2011). Evaluation of perennial forage legumes and herbs in six Mediterranean environments. *Chilean Journal of Agricultural Research* **71(3)**, 357-369.

**Reynolds OL** and Orchard BA (2011). Effect of adult chill treatments on recovery, longevity and flight ability of Queensland fruit fly *Bactrocera tryoni* (Froggatt) (Diptera: Tephritidae). *Bulletin of Entomological Research* **101 (1)**, 63-71.

**Robertson SM, Friend MA, Broster JC** and **King BJ** (2011) Survival of twin lambs is increased with shrub belts. *Animal Production Science* **51**, 925–938.

**Scott BJ, Eberbach PL**, Evans J and **Wade LJ** (2011). Stubble retention in cropping in South-East Australia: benefits and challenges. *Proceedings of the 5th World Congress Conservation Agriculture*, Brisbane, Australia. pp. 260-261.

**Shaik RS, Weston LA, Burrows G** and **Gopurenko D** (2011). A comparative phonological and genetic diversity analysis of two invasive weeds, camel melon (*Citrullus lanatus* (Thunb.) Matsum. and Nakai var. *lanatus*) and prickly paddy melon (*Cucumis myriocarpus* L.) in inland Australia. *Proceedings of the Asian Pacific Weed Science Society*, Cairns, Australia.

Simpson M, **Gurr GM**, Simmons AT, Wratten SD, James DG, Leeson G, Nicol HI and Orre-Gordon GUS (2011) Attract and reward: combining chemical ecology and habitat manipulation to enhance biological control in field crops. *Journal of Applied Ecology* **48(3)**, 580-590.

**Speirs SD**, Cattle SR and Melville G (2011). Impact of sodium adsorption ratio of irrigation water on the structural form of two Vertosols used for cotton production. *Soil Research* **49**, 481–493.

**Spinner JE**, Mansfield S, Pilkington LJ and Thomson P (2011). Sampling protocol to detect *Bemisia tabaci* (Gennadius) (Hemiptera: Aleyrodidae) in mixed species populations in greenhouse vegetable crops. *Australian Journal of Entomology* **50(3)**, 276-280.

**Spinner JE**, Cowling AM, **Gurr GM**, Jessup AJ and **Reynolds OL** (2011). Parasitoid fauna of Queensland fruit fly, *Bactrocera tryoni* Froggatt (Diptera: Tephritidae) in inland New South Wales, Australia and their potential for use in augmentative biological control. *Australian Journal of Entomology* **50**, 445–452.

**Stanton R**, **Wu H** and **Lemerle D** (2011). Root regenerative ability of silverleaf nightshade (*Solanum elaeagnifolium* Cav.) in the glasshouse. *Plant Protection Quarterly* **26(2)**, 54-56.

**Stanton R**, **Wu H** and **Lemerle D** (2011). Integrated management of silverleaf nightshade. *Proceedings of the 23<sup>rd</sup> Asia-Pacific Weed Science Conference*, Cairns, Australia. pp. 544-548.

**Stevens MM**, Warren GN, Mo J and Schlipalius DI (2011). Maintaining DNA quality in stored grain beetles caught in Lindgren funnel traps. *Journal of Stored Products Research* **47**, 69-75.

**Stevens MM**, Burdett AS, Mudford EM, Helliwell S and Doran G (2011). The acute toxicity of fipronil to two non-target invertebrates associated with mosquito breeding sites in Australia. *Acta Tropica* **117**, 125-130.

Swain DL, **Friend MA**, Bishop-Hurley GJ, Handcock RN and Wark T (2011). Tracking livestock using global positioning systems – are we still lost? *Animal Production Science* **51**, 167–175.

**Tan SH**, Mailer RJ, **Blanchard CL** and **Agboola SO** (2011). Canola Proteins for Human Consumption: Extraction, Profile, and Functional Properties. *Journal of Food Science* **76**, Nr. 1.

**Tan SH**, Mailer RJ, **Blanchard CL** and **Agboola SO** (2011). Extraction and characterization of protein fractions from Australian canola meals. *Food Research International* **44**, 1075–1082.

Tang C, **Conyers MK**, Nuruzzaman M, Poile GJ and **Liu DL** (2011). Biological amelioration of subsoil acidity through managing nitrate uptake by wheat crops. *Plant and Soil* **338**, 383-397.

Tesio F, **Weston LA** and Ferrero A (2011). Allelochemicals identified from Jerusalem artichoke (*Helianthus tuberosus* L.) residues and their potential inhibitory activity in the field and laboratory. *Scientia Horticulturae* **129**, 361-368.

Wang J, Wang E and **Liu DL** (2011). Modelling the impact of climate change on wheat yield and field water balance over the Murray-Darling Basin in Australia. *Theoretical and Applied Climatology* **104**, 285-300.

**Weston LA, Weston PA** and McCully M (2011). Production of bioactive naphthoquinones by roots of Paterson's curse (*Echium plantagineum*) - implications for invasion success? *Proceedings of the 23<sup>rd</sup> Asian Pacific Weed Science Society*, Cairns, Australia.

**Wu H**, Zhang J, **Stanton R, An M, Liu DL** and **Lemerle D** (2011). Allelopathic effects of *Eucalyptus dundasii* on weed germination and growth. *Allelopathy Journal* **28(1)**, 87-94.

**Wu H** and **Stanton R** (2011). Improved adoption of management strategies for silverleaf nightshade (*Solanum elaeagnifolium*). *Proceedings of the 16<sup>th</sup> NSW Weeds Conference*, Coffs Harbour, Australia.

Wunderlich N, **Ash GJ**, Steel CC, **Raman H** and Savocchia S (2011). Association of Botryosphaeriaceae grapevine trunk disease fungi with the reproductive structures of *Vitis vinifera* *Vitis* **50(2)**, 89 – 96.

Wunderlich N, **Ash GJ**, Steel CC, **Raman H**, Cowling A and Savocchia S (2011). Refining the biological factors affecting virulence of Botryosphaeriaceae on grapevines. *Annals of Applied Biology*  
**DOI: 10.1111/j.1744-7348.2011.00508.x**  
<http://onlinelibrary.wiley.com/doi/10.1111/j.1744-7348.2011.00508.x/full>

Zhou ZY, Li FR, Chen SK, Zhang HR, **Li G** (2011). Dynamics of vegetation and soil carbon and nitrogen accumulation over 26 years under controlled grazing in a desert shrubland. *Plant and Soil* **341**, 257-268.

**Zhu XC, Burrows G, Wu H, Raman H, Stanton R,** and **Lemerle D** (2011). Identification of silverleaf nightshade using microsatellite markers and microstructure. *Proceedings of the 23<sup>rd</sup> Asian Pacific Weed Science Society Conference*, Cairns, Australia, 604-609.